

# Agromasan

CATALOGO GENERAL






Nº CERTIFICADO: 021144

# Accesorios Electrofundición para Polietileno








## ACC. ELECTROFUSION PARA POLIETILENO

Modelo	Descripcion	DN (mm)	€
	<b>MANGUITO</b>  Electrosoldable	20	4,47
		25	4,47
		32	5,21
		40	5,88
		50	7,71
		63	8,22
		75	15,60
		90	17,10
		110	20,17
		125	24,99
		140	35,88
		160	39,07
		180	60,35
		200	62,88
225	134,12		
250	156,76		
280	201,18		
315	224,65		
400	469,41		
	<b>CODOS 90°</b>  Electrosoldable	25	14,66
		32	15,01
		40	18,89
		50	25,95
		63	30,71
		75	42,35
		90	45,88
		110	76,47
		125	86,47
160	153,53		
180	194,12		
	<b>CODOS 45°</b>  Electrosoldable	32	18,35
		40	19,76
		50	25,95
		63	30,71
		75	42,35
		90	30,35
		110	73,11
		125	77,65
160	133,63		

ACC. ELECTROFUSION PARA POLIETILENO




## ACC. ELECTROFUSION PARA POLIETILENO

Modelo	Descripcion	DN (mm)	€
	<b>TAPON</b>  Electrosoldable	20	8,47
		25	9,01
		32	10,42
		40	11,65
		50	16,94
		63	19,06
		75	30,71
		90	40,07
		110	51,36
		125	62,47
		140	78,35
		160	89,13
		180	109,76
		200	141,71
		225	172,07
	<b>REDUCCION</b>  Electrosoldable	25 x 20	15,63
		32 x 20	11,76
		32 x 25	11,76
		40 x 32	15,97
		50 x 32	22,69
		63 x 32	26,89
		63 x 40	26,89
		63 x 50	26,89
		90 x 50	40,59
		90 x 63	40,59
		110 x 63	59,13
		110 x 90	59,13
		125 x 63	61,76
		125 x 90	61,76
		125 x 110	144,54
160 x 90	104,20		
160 x 110	104,20		
160 x 125	104,20		
200 x 160	252,10		
225 x 160	268,91		
	<b>TE 90°</b>  Electrosoldable	25	17,65
		32	21,18
		40	23,53
		50	35,29
		63	40,08
		75	54,29
		90	58,99
		110	84,87
125	94,37		



## ACC. ELECTROFUSION PARA POLIETILENO

Modelo	Descripcion	DN (mm)	€
	<b>CODO 90° PE 100 CON ADAPTADOR MACHO</b>	25	26,17
		32	25,08
	Electrosoldable	40	31,06
		50	34,40
		63	47,44

	<b>ADAPTADOR PE 100 ROSCA MACHO</b>	25	20,31
		32	19,00
	Electrosoldable	40	23,09
		50	25,87
		63	36,72